

ENCIFUM-UD

(Best ultra diffusion smoke Fumigant)

INTRODUCTION:

NARSIPUR Chemicals Pvt Ltd leaders and pioneers in the field of Poultry Biosecurity have researched and developed a unique and most useful and proven broad spectrum fumigation product ENCIFUM-UD which has active ingredient of biphenolic compounds and is highly effective against dreadful disease-causing pathogens. ENCIFUM-UD acts by ULTRADIFFUSION technique offering uniform spread of dry gas in to every nook and corner.

COMPOSITION:

Specialized blend of biphenolic compound, carbohydrates and additives.

ADVANTAGES:

1. Enables uniform very high density ultra diffusion of the disinfectant throughout the room including hard to reach areas with precise dose.
2. Convenient, economical and fast-acting.
3. Non-corrosive and non-staining.
4. Versatile and non-staining.
5. Ready to use.
6. Precise dose application according to the volume to be treated.
7. Safe.

APPLICATION:

ENCIFUM-UD is recommended for use in Poultry farms, silos, and hatcheries.

Hatching egg storage room

Egg disinfection room

Incubation room and incubators (empty)

Disinfection of surfaces

Sorting and vaccination room

Hatchers (empty)

POULTRY SHEDS / ENCIFUM-UD

Optimal application conditions to prevent and eradicate fungal, bacterial and viral contamination:

- Humidity 50–80%



+91 7506946458
+91 7506946459



info@narsipur.in
narsipuroffice@gmail.com



Head Office : Narsipur Chemicals Pvt Ltd,
C-238, MIDC, Turbhe, Navi Mumbai - 400
705. INDIA

Branch Off: D-65, Veerasandra Industrial
Estate ,Electronic City, Bangalore - 560 100

DOSAGE:

| ENCIFUM-UD | VOLUME | AREA |
|-----------------------|---------------------|-------------|
| Small Tin Container | 175 M ³ | 650 Sq. Ft |
| Medium Tin Container | 350 M ³ | 1225 Sq. Ft |
| Large Tin Container | 625 M ³ | 2500 Sq. Ft |
| Largest Tin Container | 1250 M ³ | 5000 Sq. Ft |

Fumigate the poultry farm with ENCIFUM-UD 1 day

before birds placement in the farm.

DIRECTIONS FOR USE: -


1. Remove the sticker on the top of the container covering the wick
2. Keep the tin container on a tile, metal plate
3. Light the wick. Trap the smoke for 6 - 12 hours (overnight recommended)
4. Subsequently ventilate the area for atleast 1 hour after fumigation and then start to use it.

STORAGE:

Store the ENCIFUM-UD cans in a dry and cool place, away from sources of heat, fire, light and moisture contact.

PRECAUTION:

Ignite the ENCIFUM-UD on a metal plate, in absence of birds, human and animals in closed conditions.



ENCIFUM-UD is a trademark of NARSIPUR CHEMICALS PVT LTD



+91 7506946458
+91 7506946459

CIN No: U24110MH1989PTCO54186



info@narsipur.in
narsipuroffice@gmail.com



Head Office : Narsipur Chemicals Pvt Ltd,
C-238, MIDC, Turbhe, Navi Mumbai - 400
705. INDIA

Branch Off: D-65, Veerasandra Industrial
Estate ,Electronic City, Bangalore - 560 100